

13927.....CAMALOT SPEEDLINE
3700 Glue Dispenser
S/N: 30012

CAMALOT 13750





A009



CAUTION
HOT SURFACE
The HOT SURFACE
warning label is located
on the front panel
of the instrument.

CAUTION
To prevent injury
immediately
disconnect power
before service
and repair.

CAUTION
To prevent injury
immediately
disconnect power
before service
and repair.

Control panel with various gauges, switches, and digital displays.

- TEMPERATURE: PREHEAT UPPER, PREHEAT LOWER, REACTOR HEAT, H.S. FLOW
- GAUGES: REACTOR HEAT (top), REACTOR HEAT (bottom)
- SYSTEMS: SYSTEMS COOL (OFF/ON), SYSTEMS HEAT (OFF/ON)
- EMERGENCY STOP: Large yellow button with red center, labeled "EMERGENCY STOP"
- FUNCTIONS: REACTOR ON, REACTOR OFF, REACTOR STOP, REACTOR PAUSE
- OTHER: REACTOR STOP (ON/OFF), REACTOR STOP (ON/OFF)







DATA LINK (SERIAL) BOARD

SYSTEM BOARD

100%
100%
100%
100%
100%

POWER

POWER







SERIAL# 3700 30012



MODEL# 3700

VOLTS 208 HZ 50/60

MAX AMP 10 LARGEST SINGLE LOAD 10 A

AIR PRESSURE PSI/BAR 80-100/5.5-6.9

DATE OF MFG (M0/YR) 06 / 02

Speedline Technologies, Inc. CAMALOT DIV.

145 WARD HILL AVE
HAVERHILL, MA 01835 U.S.A.



A=UPSTREAM

C=DOWNSTREAM

**Remember...don't close the window
use the BACK FUNCTION**

