

| | | | | |
|---------------------------------------|-----------------------------------|--|--|--|
| Table height | 38- ³ / ₄ " | | | |
| Permissible load | 5,500 lbs | | | |
| Number of t-slots of .63" | 10 | | | |
| T-slot pitch | 4.17" | | | |
| Spindle and hydrostatic quill: | | | | |
| Spindle speeds by DC motor | 20 to 3000 rpm | | | |
| 3 speed ranges | 20-330 / 330-985 / 985-3000 rpm | | | |
| Spindle power: 100% ED | 6.5kW - 8.8 hp | | | |
| Hydrostatic quill diameter | 5-5/16" | | | |
| Power feed rates (with manual mode) | .0004 to .0153"/rev. | | | |
| Power feed rates (CNC mode) | .004 to 240"/min. | | | |
| Spindle taper | ISO 45 | | | |
| Axes: | | | | |
| Rapid displacement speed, X-Y-Z | 240"/min per axis | | | |
| Machining feeds, X-Y-Z | .004 to 240"/min | | | |
| Acceleration from 0 to maximum speed | .4 s | | | |
| Feed motor power | 2 hp | | | |
| Machine weight: | 30,900 lbs | | | |
| Retrofit configuration: | Fanuc 16i MA CNC Con | | | |

Digital axis drives AC motors (Fanuc)

AC spindle drive and motor (Fanuc)

Delivery: 3 months after receipt of order

FOB: OHIO

Price, **\$495,000.00 USD**

Option:

W CNC (includes scale, Fanuc drive & motor)

\$13,500.00 USD additional



Don't close the window.....

Use the BACK FUNCTION

Or this link to our main page

HOME

Thanks for your interest !!!

**Karen Madison
T.H.E. EQUIPMENT SOURCE**

<http://www.karenamadison.com>